

***Aerides rosea* Lodd. ex Lindl. & Paxton (species)**

-----06 Oct. 2022-----



-----17 Nov. 2022-----

-----23 Dec. 2022-----

-----16 Jan. 2022-----



-----02 April 2023-----

-----27 April 2023-----

04 May 2023

-----14 May 2023-----



-----15 May 2023-----



# Erawan Orchid Euang Aiyarawan Moei Rose กล้ายไม้เอื้องเอราวัณ เอื้องไอยราวัณ เอื้องกุหลาบแม่เมย

(Scientific name: *Aerides rosea* Lodd. ex Lindl. & Paxton)

<https://shopee.co.th/%F0%9F%8C%B8%E0%B8%81%E0%B8%A5%E0%B9%89%E0%B8%A7%E0%B8%A2%E0%B9%84%E0%B8%A1%E0%B9%89%E0%B9%80%E0%B8%AD%E0%B8%B7%E0%B9%89%E0%B8%AD%E0%B8%87%E0%B9%80%E0%B8%AD%E0%B8%A3%E0%B8%B2%E0%B8%A7%E0%B8%B1%E0%B8%93%E2%80%8B-%E0%B9%80%E0%B8%AD%E0%B8%B7%E0%B9%89%E0%B8%AD%E0%B8%87%E0%B9%84%E0%B8%AD%E0%B8%A2%E0%B8%A3%E0%B8%B2%E0%B8%A7%E0%B8%B1%E0%B8%93-%E0%B9%80%E0%B8%AD%E0%B8%B7%E0%B9%89%E0%B8%AD%E0%B8%87%E0%B8%81%E0%B8%B8%E0%B8%AB%E0%B8%A5%E0%B8%B2%E0%B8%9A%E0%B9%81%E0%B8%A1%E0%B9%88%E0%B9%80%E0%B8%A1%E0%B8%A2-i.81396210.21844302148?xptdk=6b12be49-1bd0-4599-994d-de6a53bdc828>



## *Aerides rosea*

[https://fr.wikipedia.org/wiki/Aerides\\_rosea](https://fr.wikipedia.org/wiki/Aerides_rosea)



## *Aerides rosea* Lodd. ex Lindl. & Paxton

<https://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:615316-1>



## *Aerides rosea* Lodd. ex Lindl. & Paxton. Orchid purebred.

<https://www.shutterstock.com/th/video/clip-6768949-aerides-rosea-lodd-ex-lindl--paxton>




## *Aerides rosea* Lodd. ex Lindl. & Paxton

<https://www.gbif.org/species/2811075>



## *Aerides rosea* Lodd. ex Lindl. & Paxton

<https://orchidroots.com/detail/photos/4163/?role=>



## Orchid Species: *Aerides rosea*

(This name is currently accepted by Kew.)

<https://www.orchids.org/grexes/aerides-rosea>



ORIGIN: Occurring in the spring and summer from Vietnam, Thailand, Sikkim, Bhutan and Assam on open rocks and bluffs in evergreen and semideciduous forests at elevations of 300 to 1700 meters.

DESCRIPTION: This is a medium to large sized, hot to cool growing, monopodial epiphyte or lithophyte with clumping pendulous stems carrying several ligulate leaves that blooms in the spring and summer on a racemose or rarely branched, 2' [60 cm] long, densely many [20 to 25] flowered inflorescence with fragrant, waxy flowers.

FLOWER SIZE: 1 to 1 1/2 inches [2.5 to 3.75 cm] -- information provided by Jay Pfahl, author of the Internet Orchid Species Encyclopedia (IOSPE).

## *Aerides rosea* Loddiges ex Lindl. & Paxt. 1851 *SECTION Fieldingia*

<http://www.orchidspecies.com/aeridrosea.htm>



**Common Name** The Rose Colored Aerides - In China Duo Hua Zhi Jia Lan  
Flower Size 1 to 1 1/2" [2.5 to 3.75 cm]

This is a medium to large sized, hot to cool growing, monopodial epiphyte or lithophyte with clumping pendulous stems carrying several ligulate leaves that blooms in the spring and summer on a racemose or rarely branched, 2' [60 cm] long, densely many [20 to 25] flowered inflorescence with fragrant lily of the valley scented, waxy flowers occurring in the spring and summer from Vietnam, Thailand, Sikkim, Bhutan and Assam on open rocks and bluffs in evergreen and semideciduous forests at elevations of 300 to 1700 meters.

This species needs to be watered and fertilized regularly and kept humid, with frequent mistings throughout the hot summer months. They do best tied into a wood slat basket with little to no medium.

**Synonyms** *Aerides* affine var. *rosea* (Lodd. ex Lindl. & Paxton) C.S.P.Parish 1883; *Aerides fieldingii* Lodd. ex E. Morren 1876; *Aerides fieldingii* Jenn. ?; *Aerides fieldingii* var. *alba* L.Linden 1897; *Aerides fieldingii* var. *williamsii* (R.Warner) H.J.Veitch 1891; *Aerides roseum* f. *alba* (L.Linden) Christenson 1994; *Aerides williamsii* Warner 1862